

Grapes -

Basic Set of SIP - 5 & SNP 8 Applications



Soil Improvement Pack

April - Day 01, 07, 37, 61, 91



Soil Nourishment Pack

October - Day 01, 16, 31, 46, 61, 76, 91, 106

April & October Pruning - Land Preparation

2 Tones of on farm prepared Vermi-Compost/ Compost



Mulching - April, July, October, January

On farm available green & dry bio-mass & border crop dressings of Gliricidia, subabhul, karanj, agasti



April - Day 30, 60 & October - Day 15, 43
Soil Application - drip/drench

1 Itr Poshak-G
Supplements main & micro nutrients



**April - Day 30, 60 & October - Day 15, 43, 70
Foliar + Soil Application**

1 Itr Bahar

Early flower initiation & healthy bunch development, long fruit size & weight



Day 87, 94, 101, 108 - 2 Soil & 2 Foliar Applications

1 Itr Poshak-K


**Supplements main & micro nutrients
Enhances fruit size, weight & color**



7 days before harvesting Foliar Application

1 Itr Calplus

Enhances shelf life



Pests & Diseases Control

Major Pest -

Aphids, Caterpillar, Cutworm, Fleabettle, Hopper, Stem Borer, Thrips

Major Diseases -

Antranse, Blights, Downy Mildew, Powdery Mildew, Fruit Rot



Control Remedies -

01. Regular field Check-up for any pest pressure & diseases symptoms. Use colored sticky traps for the same. The application of soil nourishment pack makes the crop pest & disease resistant. SNP application develops useful biology in and around crop which takes care of harmful pests & diseases. SNP also boosts crop immunity. Major pest & disease problems are taken care by SIP & SNP application
02. If observed attack of pest or disease is to considerable extent, then only apply no-synthetic, non-poisonous organic/biological inputs to very limited extent
03. To control pest pressure, use any one of the following input - Neem Oil, Verticillium Lecanii, Beauveria Bassina, Metarhizium Anisoplia, Nomarks
04. To control disease pressure, use any one of the following input – Bordo, Buttermilk, Tricoderma Viride, Pseudomonas Fluorescens, Fungistop
05. Do not apply any input as preventive measure
06. Do not make any soil application of pest or disease controlling input
07. **Crop Rotation** – No mono-cropping pattern to be followed. Crop rotation with proper management of cropping & fallow land is to be practiced. For perennial crops, inter-cropping, mulching to be practiced

01. Farming is a full time business. To be managed accordingly.
02. Border cropping for green manure & wind breaking. Gliricidia, subabhul, karanj, agasti, tulas.
03. Field layout for crop plan & rotation scheduleing.
04. Regular green/dry mulching
05. Desi cow/s management
06. Gradual reduction of synthetic chemicals to conclude with no chemical usage
07. Use of Planting Calendar

Disclaimer - The application intimations are based on best of our knowledge. We have tried to collect data from various sources to make the suggestions closer to accuracy. These are indicative intimations; actual requirement may defer based on climatic & crop condition. In any case what so ever, we are not responsible for any compensation & or claims for crop injury, ineffectiveness or other unintended consequences.